

# WebConfig

## Basic Information



enter settings menu

Start 2

07.06.18, 11:25

click for menu  
- shutdown  
- version

# Christ

ELECTRONIC SYSTEMS

Settings

Web App

enter settings menu

skip countdwon



return

Login

07.06.18, 11:22

click for menu  
- contact & support  
- version

# Christ

ELECTRONIC SYSTEMS

Devicepassword

standard password:  
christ

Show Password?

Clear

Login

# WebConfig

## Basic Information

07.06.18, 11:29

- General
- Network
- Backlight
- Web App
- Login
- Systemstatus
- Support
- Logout
- Shutdown

### Hostname

Hostname  
skothe-pc

### Date and Time

Date  
7.6.2018

Hour Minute  
11 : 29  Set Clock?

Timezone  
Europe/Berlin

Enable NTP **automatic online time synchronisation**

### Systeminformation

<b>Operating system</b>	Linux	
<b>Version/Kemel</b>	4.13.0-43-generic	
<b>Browserversion</b>	Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:60.0) Gecko/20100101 Firefox/60.0	
<b>Webinterface</b>	Version 1.0.0	
<b>Hardware</b>	Architecture	x64
	CPU-Type	Intel(R) Core(TM) i7-7700K CPU @ 4.20GHz
	RAM	16295 Mb
	Resolution	1280 x 800

### Product Information

<b>Product ID</b>	E702024
<b>Revision</b>	001
<b>Serial No</b>	0050516-001



# WebConfig

## Basic Information

07.06.18, 11:19

- General
- Network**
- Backlight
- Web App
- Login
- Systemstatus
- Support
- Logout
- Shutdown

### Network Settings

Ethernet adapter  
enp0s31f6  Connected

checked: cable plugged in  
unchecked: cable unplugged

MAC Address  
50:9a:4c:58:23:20  DHCP

checked: dynamic  
unchecked: static

**IP4 Address** enp0s31f6 192.168.178.171 ^

IP4 192 IP4 168 IP4 178 IP4 171

**Netmask** enp0s31f6 255.255.0.0/16 ^

Netmask/CIDR  
255.255.0.0/16

**Gateway** enp0s31f6 192.168.178.1 ^

Gateway 192 Gateway 168 Gateway 178 Gateway 1  Set Gateway?

**DNS** enp0s31f6 DNS not set ^

DNS DNS DNS DNS  Set DNS?

07.06.18, 11:20


- General
- Network
- Backlight**

### Backlight

Brightnesslevel  
brightness: 1 - low to 7 - high

# WebConfig

## Basic Information



**Webapp Settings**

**Start Delay**

Delay in seconds  
5s **configure countdown**

**Start URL**

Protocol: http:// Start URL: www.christ-es.de **configure startpage**

e.g. after 5s start URL will be shown

**Test URL** **Save**

# WebConfig

## Basic Information

07.06.18, 11:21

- General
- Network
- Backlight
- Web App
- Login**
- Systemstatus
- Support
- Logout
- back to Login**
- Shutdown

### Password

**Password** Change Password for Webconfiguration ^

set password:  
between 6 and 16 characters  
without space

default password:  
christ

Show Password?

### Company contact

**Company** Companyname v

**Website** Companywebsite v

**Address** Companyaddress v

**E-Mail** Company E-Mail v

**Phone** Company Phonenumber v

### Contact for support & administration

**Name** Administrator v

**E-Mail** Administrator Mail v

**Phone** Administrator Phone v

# WebConfig

## Basic Information

### KNOWN BUGS

Tavascrypt dialogue don't work.

### DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.



**CHRIST ELECTRONIC SYSTEMS GMBH**  
**MANUFACTURER OF INDUSTRIAL ELECTRONICS**

### CONTACT

Christ Electronic Systems GmbH  
Alpenstraße 34  
87700 Memmingen  
Phone: +49 8331/83710  
[www.christ-es.de](http://www.christ-es.de)

### FROM IDEAS TO REALITY

We are a German developer and manufacturer of innovative HMI-systems for demanding industrial applications. Christ offers an extensive range of

TOUCH PANEL PCs | x86 & ARM  
TOUCH MONITORS | 7" – 24"  
SINGLE BOARD COMPUTER | Windows & Linux  
VISUALISATION SYSTEMS | HMI & SCADA

Copyright / © Christ Electronic Systems GmbH  
[info@christ-es.de](mailto:info@christ-es.de)

6 / 6

June 2018, Revision 00  
Document No.: PA10003251